



<b>Client:</b>	Orvanta Labs
<b>Accession #:</b>	2605190268
<b>Search Code:</b>	Orva2605190268
<b>Received:</b>	05/19/2026
<b>Reported:</b>	05/20/2026
<b>Lot:</b>	GL26-05

### Sample Summary

<b>Product:</b>	Glow 70mg	<b>Endotoxin Threshold:</b>	
<b>Appearance:</b>	Blue Lyophilized Powder	<b>Pass</b>	

### Analytical Results

Test	Result	
<i>Method:</i> Endotoxin testing performed using Limulus Amebocyte Lysate assay in accordance with USP <85> under validated laboratory conditions.		
<b>Endotoxin Replicate 1:</b>	Pass	Assay Sensitivity: ≤0.05 EU/mL
<b>Endotoxin Replicate 2:</b>	Pass	Assay Sensitivity: ≤0.05 EU/mL

### Notes/Comments

N/A



Principal Chemist

FreedomDiagnosticsTesting.com

Admin@FreedomDiagnostics.net

**Proudly Owned and Operated in the USA**



The endotoxin analysis reported here was performed using the Limulus Amebocyte Lysate (LAL) assay in accordance with USP <85> under validated laboratory conditions. This analysis is intended for informational purposes only and is specific to the sample(s) provided. The materials tested are intended for research use only and are not approved for human or veterinary use, diagnostic, therapeutic, or clinical applications. Results should be interpreted by qualified professionals within the scope of the intended research. The accuracy and reliability of the test may be influenced by sample integrity, handling, and other experimental variables.